

Web Images Maps News Shopping Gmail more ▾

Sign in

Google

mobile and terminal and software and provider and hash and identifier

Search

Web Results 1 - 20 of about 198,000 for mobile and terminal and software and provider and hash and identi

SOFTWARE INTEGRITY TEST IN A MOBILE TELEPHONE - Patent EP1561301

... a second identifier, associated with the terminal and the first hash value via the mobile communication system to a provider of the software module, ...

www.freepatentsonline.com/EP1561301.html - 34k - Cached - Similar pages

MOBILE SOFTWARE TERMINAL IDENTIFIER - Patent WO/2007/062514

More particularly, exemplary embodiments of this invention relate to a mobile software terminal identifier which is generated as a hash value and used to ...

www.freepatentsonline.com/WO2007062514.html - 65k - Cached - Similar pages

More results from www.freepatentsonline.com »

(WO/2004/042998) SOFTWARE INTEGRITY TEST IN A MOBILE TELEPHONE

A second identifier, which is associated with the terminal in the form of, IMEI of the target mobile terminal and is signed by the software provider. ...

www.wipo.int/pctdb/en/wo.jsp?wo=2004042998&IA=WO2004042998&DISPLAY=DESC - 33k

- Cached - Similar pages

Mobile Electronic Signatures: Progression from Mobile Service to ...

the PC, the signature application then calculates a hash ... mobile software providers to deploy mobile ... OMTF - Open Mobile Terminal Platform [18] ...

[ieeexplore.ieee.org/iel5/4/278534/4278535/04278550.pdf?](http://ieeexplore.ieee.org/iel5/4/278534/4278535/04278550.pdf?tp=&isnumber=4278535&arnumber=4278550)

[tp=&isnumber=4278535&arnumber=4278550](http://ieeexplore.ieee.org/iel5/4/278534/4278535/04278550.pdf?tp=&isnumber=4278535&arnumber=4278550) - Similar pages

An Approach of Program Analysis Prevention for Information Protection

original program to hash-password and hash-y respectively of the service provider. His mobile terminal accesses the ...

ieeexplore.ieee.org/iel5/4/197230/4197231/04197246.pdf - Similar pages

More results from ieeexplore.ieee.org »

EP1317159 Motorola european software patent - Authentication ...

The mobile terminal 1 is shown roaming, that is to say communicating through the codification 16 is a one-way hash function that is in conformity with ...

gauss.fii.org/PatentView/EP1317159 - 47k - Cached - Similar pages

EP1364512 Siemens european software patent - Method and ...

The software is normally loaded by the mobile radio telephone, message 501 and the hash value also determined by the mobile communication terminal 101 ...

gauss.fii.org/PatentView/EP1364512 - 71k - Cached - Similar pages

More results from gauss.fii.org »

Data transfer verification based on unique ID codes - US Patent ...

3 shows a Mobile Terminal MT such as the phone 1 including MT Software 30 that The providing communication terminal, for example a software provider is ...

www.patentstorm.us/patents/6707915-description.html - 56k - Cached - Similar pages

[PPT] Mobile PKI

File Format: Microsoft Powerpoint - View as HTML

PKI on Mobile Terminal is called Wireless PKI or WPKI and sometimes Mobile PKI. ...

certificate from CA and sends it along with signature hash to ID Server ...

www.oasis-open.org/events/adoptionforum2006/slides/saharanta.ppt - Similar pages

[PDF] Secure Billing For Mobile Information Services In UMTSFile Format: PDF/Adobe Acrobat - [View as HTML](#)

Value-added, service provider, UMTS, service provider, Mobile, will exist on EXODUS broadband terminal PCs. A software interface will exist ...

www.cosic.esat.kuleuven.be/publications/article-66.pdf - [Similar pages](#)**[PDF] PROTECTION OF DOWNLOADABLE SOFTWARE ON SDR DEVICES Eimear Gallery ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)

confidentiality and integrity of the software are protected, while it is in transit from the software provider to the SDR, terminal, and when it is on the ...

www.sdrforum.org/pages/sdr05/2.6%20Networking%20and%20Security%202/2.6-04%20Gallery%20et%20ai.pdf - [Similar pages](#)**platformsdk security Sign with RsaCryptoService Provider Verify ...**

Jul 15, 2007 ... Normally the signature should contain the hash algorithm identifier (to prevent replacing it with a much weaker hash), so I think the ...

www.eggheadcafe.com/software/aspnet/30318616/sign-with-rsacryptoservic.aspx - 30k - [Cached](#) - [Similar pages](#)**Secure billing for mobile information services in UMTS**

Mobile User, a Value-Added Service Provider, and, a Trusted Third Party, ... will exist on EXODUS broadband terminal PCs. A software interface will exist ...

www.springerlink.com/index/n054868287210854.pdf - [Similar pages](#)**Title Index**

... Connecting IPv6 Islands over IPv4 MPLS Using IPv6 Provider Edge Routers (6PE)

Mobile IP Network Access Identifier Extension for IPv4 • Mobile IP ...

dret.net/rfc-index/titles - 977k - [Cached](#) - [Similar pages](#)**Im folgenden sind einige in der Vorlesung benutzte Abkürzungen ...**

... Mobile services Switching Centre MT Mobile Terminal MVNO Mobile Virtual Network Operator ... 7 SSID Service Set Identifier SSL Secure Socket Layer SSRC ...

user.informatik.uni-goettingen.de/~slanmik/mobkomil/material/ws0708/Glossar_2008.txt - 12k - [Cached](#) - [Similar pages](#)**[doc] Proposed draft to the Second International distributed conference ...**File Format: Microsoft Word - [View as HTML](#)

the communication structure is fixed: the mobile terminal sends a card ... UIM and an authentication token AUTHN which is a hash code of the session key: ...

www.esat.kuleuven.ac.be/cosic/aspect/papers/netint.doc - [Similar pages](#)**Digital Signatures in Mobile Commerce**

Hash functions are used for this. A hash is a kind of unique checksum for the ... Name of owner (surname and given name) and unique identifier (electronic ID, ...

www.tml.tkk.fi/Opinnot/Tik-110.501/2000/papers/jokinen.html - 27k - [Cached](#) - [Similar pages](#)**S - JUNOS 9.1 Glossary**

SHA-1 — Secure Hash Algorithm 1. A secure hash algorithm standard defined in ...

between the ISDN provider service and the customer terminal equipment. ...

www.juniper.net/techpubs/glossary/s.html - 44k - [Cached](#) - [Similar pages](#)**[PDF] &**File Format: PDF/Adobe Acrobat - [View as HTML](#)

performing a hash algorithm on component identifiers of the device to generate an international mobile, software terminal identifier (IMSTI) and ...

<https://publications.european-patent-office.org/PublicationServer/getpdf.jsp?cc=EP&pn=1791378&k=A1> - [Similar pages](#)

[PDF] [Mobile Packet Data Service \(USB\)](#)

File Format: PDF/Adobe Acrobat

(no subscriber number is sent to the Net provider). Note! Hash # may be omitted on some ...

R-LES only, i.e. the terminal will not be connected to ...

[www.workanywhere.net/productpricing/MPDS_USB.pdf](#) - Similar pages

1 2 3 4 5 6 7 8 9 10 [Next](#)

mobile and terminal and software and provider and hash and identifier

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)